

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L12	79	"340"/\$.ccls. and distance near3 (measure\$4 measuring) same (results value) near3 (valid accept\$3 threshold quality)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/08 15:33
L11	32	L10 and (rssi "received signal strength indication")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/02/08 15:33
L10	1975	L8 L9	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/02/08 15:33
L9	1765	((340/5.72) or (340/5.61) or (340/10.1)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/02/08 15:33
L8	395	(340/5.64).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/02/08 15:33
L7	1975	L6 L5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/02/08 15:33
L6	395	(340/5.64).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/02/08 15:33
L5	1765	((340/5.72) or (340/5.61) or (340/10.1)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/02/08 15:33
L4	9	L3 and distance near3 (measuring measurement measure) with (quality accuracy precision) and (car auto vehicle truck)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/02/08 15:33
L3	1765	((340/5.72) or (340/5.61) or (340/10.1)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/02/08 15:33
L2	26	L1 and (vehicle car auto automobile truck) near3 (access control)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/08 15:33
L1	79	"340"/\$.ccls. and distance near3 (measure\$4 measuring) same (results value) near3 (valid accept\$3 threshold quality)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/08 15:33

S34	26	S32 and (vehicle car auto automobile truck) near3 (access control)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/06 16:38
S33	61	S32 and (vehicle car auto automobile truck)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/06 16:38
S32	79	"340"/\$.ccls. and distance near3 (measure\$4 measuring) same (results value) near3 (valid accept\$3 threshold quality)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/06 16:38
S31	9	S27 and distance near3 (measuring measurement measure) with (quality accuracy precision) and (car auto vehicle truck)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/02/06 16:37
S30	15	S28 and quality	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/02/06 16:37
S29	1	S28 and (quality near3 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/02/06 16:37
S28	49	S27 and distance near3 (measuring measurement measure)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/02/06 16:37
S27	1761	((340/5.72) or (340/5.61) or (340/10.1)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/02/06 16:37
S26	32	S24 and (rssi (receiv\$3 adj "signal strength indication"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/02/06 16:37
S25	32	S24 and (rssi "received signal strength indication")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/02/06 16:37
S24	1971	S22 S23	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/02/06 16:37
S23	1761	((340/5.72) or (340/5.61) or (340/10.1)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/02/06 16:37

S22	395	(340/5.64).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/02/06 16:37
-----	-----	------------------	---	----	-----	------------------